

Linssen Yachts Option list

Linssen Grand Sturdy 30.0 AC Intero

Date-: 7-3-2025

Page 1

Item	Description	Phase
------	-------------	-------

1. HULL

1.2 STAINLESS STEEL

12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	1
12060.01	Original Linssen polished stainless steel bow ladder (removable)	2
12071.01	Stainless steel protection set at side railing entrances and stern (3x)	1
12075.01	Stainless steel steps to saloon deck midships, demountable, finished with anti-slip steps incl. 2 hand grips on saloon deck	1

1.3 TECHNICAL

13290.01	Heating (blower) at steering position (4 kW), connected to the engine	1
----------	---	---

2. COATING

2.1 COATING & DECK FINISH

21090.10	Original Linssen colour scheme: Superstructure and hull : Egg Shell White Waterline : Black Antifouling : Black Rope fender : Black Canvas and covers : Sunbrella Marine Steel Grey Glass windows saloon, windscreen : "Smoke Grey" tinted	1
21090.12	Original Linssen colour scheme: Hull : Super Jet Black Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black Rope fender : Black Canvas and covers : Sunbrella Marine Steel Grey Glass windows saloon, windscreen : "Smoke Grey" tinted	1
21090.15	Original Linssen colour scheme: Hull : Dark Grey Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black Rope fender : Black Canvas and covers : Sunbrella Marine Steel Grey Glass windows saloon, windscreen : "Smoke Grey" tinted	1
21090.23	Original Linssen colour scheme: Hull : Midnight Blue Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black Rope fender : Beige Canvas and covers : Sunbrella Dark Navy Glass windows saloon, windscreen, ventilation-/escape hatch : "Smoke grey" tinted	1

Item	Description	Phase
21090.24	Original Linssen colour scheme: Superstructure and hull : Egg Shell White Waterline : Dark Green Antifouling : Black Rope fender : Beige Canvas and covers : Sunbrella Marine Beige Papyrus	1
21090.31	Glass windows saloon, windscreen : "summer green" tinted Original Linssen colour scheme Olive Green: Hull : Olive Green Superstructure : Sand Beige Waterline : Sand Beige Antifouling : Black Rope fender : Beige Canvas and covers : Sunbrella Marine Beige Papyrus	1
21090.33	Glass windows saloon : "Summer Green" tinted Original Linssen colour scheme: Hull : Midnight Blue Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black Rope fender : Beige Canvas and covers : Sunbrella Marine Beige Papyrus Glass windows saloon, windscreen : "Smoke Grey" tinted	1

2.2 TEAK DECKS

22010.01	Original LINSSEN teak deck on front deck and side decks	1
22020.01	Original LINSSEN teak deck on aft deck	1

3. ENGINE COMPARTMENT

3.1 TECHNICAL

31050.03	12V. sternthrustrer 55 kgf (3 kW / 4 HP)	1
31241.03	Heating outlet in toilet compartment forward cabin	1
31281.03	Heating outlet in toilet compartment aft cabin	1
31240.99	App-module for remote switching/controlling the daytime heating. System uses subscription, Free for the first year and €35,- per year thereafter (by purchasing customer). App control via iPhone or Android device is free to download.	1
31411.00	Air conditioning in forward cabin by 1x 6,000 BTU unit Runs only via the shore supply connection, peak current consumption during (soft) start 11A, current during operation 2-2,4A Maximum one unit per vessel as otherwise it cannot operate via the shore power connection' Not possible in combination with position(s): 31461.00 Airco AC 1x 6000 BTU	1

Item	Description	Phase
31461.00	Airconditioning in the aft cabin through 1x 6.000 BTU unit. Only possible through the shore power connection, peak current consumption during (soft) start 11A, current during operation 2-2,4A Maximum one unit per vessel otherwise it cannot operate from the shore power connection. Not possible in combination with position(s): 31411.00	1
3.2 ON-BOARD WATER SYSTEMS		
32100.01	All grey water outlets (sinks and shower-drainage, including aft cabin) connected to holding tank	1
32110.01	No fitting of holding tank waste pump	1
32150.04	Deck-wash pump, including hose and trigger nozzle with connection at bathing platform	1
32150.13	Deck-wash pump, including hose and trigger nozzle with connection at bathing platform connected to on-board water system	1
3.3 ELECTRICAL & ELECTRONICS		
33082.02	Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries)	1
33148.05	Victron Cerbo-GX communication-centre for a perfect control over your system. Includes a 5 inch slim waterproof design touch screen display with a instant overview.	1
33148.15	Cerbo GX linked to the Raymarine Axiom MFD. Monitor your domestic, shore power and generator status. Control the shore power limit to be used from your helmsman's position Only in combination with position(s): 33148.05 Victron Cerbo GX + Touch 50	1
33271.02	Automatic battery charger/inverter type Victron Multiplus Compact 12/1600-70 (70A/1600W.) with remote control panel. Peak power 3000 W. Only in combination with position(s): 33082.02 Domestic 12 V., 2 batteries	1
33285.70	Solar panel of 1x 160Wp. Connected to a Victron Smart Solar charge controller for charging the domestic batteries. Read out on the Victron MPPT control display.	1
3.4 INSTRUMENTS & NAVIGATION		
34065.01	Manual search light, incl. 12 V. connection at steering position	2
3.4.2 NAVIGATION PACKAGES		
Pack	3.4.2.1 BASIC PACKAGE	1
34090.16	Rudder indication on Raymarine Axiom display at steering position	
34125.01	Raymarine Axiom+ 7 multifunctional display	
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	

Linssen Grand Sturdy 30.0 AC Intero

Item	Description	Phase
Pack	3.4.2.2 RIVER PACKAGE	1
34110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
34125.01	Raymarine Axiom+ 7 multifunctional display	
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
Pack	3.4.2.3 LAKE PACKAGE	1
34110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
34125.02	Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position	
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
Pack	3.4.2.4 SEA PACKAGE	1
34110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
34125.02	Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position	
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
34160.05	Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast	
34145.11	1x Raymarine IP day & night net dome video camera on transom for rear view with readout on multifunctional Raymarine display	1
34145.12	2x Raymarine IP day & night net dome video cameras with readout on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view	1
34145.15	1x Raymarine IP day & night net dome video camera on bow for front view with readout on multifunctional Raymarine display	1
3.4.4 REMOTE PACKAGES		
31067.01	Remote control for bow (and stern) thruster	1
34110.03	Raymarine S100 wireless autopilot remote control Only in combination with position(s): 34110.10 p70R Display steering position	1
34110.13	Raymarine Smart Controller wireless autopilot remote control Only in combination with position(s): 34110.10 p70R Display steering position	1
3.4.5 COMMUNICATION PACKAGES		

Linssen Grand Sturdy 30.0 AC Intero

Item	Description	Phase
34190.09	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	1
34190.10	Extra wireless handset VHF incl. charging station	1
34200.10	Communication tool for 2 persons by means of 2 walkie-talkies with headset	2
34943.04	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	1
3.4.6 OTHER NAVIGATION INSTRUMENTS		
34100.00	Magnet compass not possible. Due to the steel boats it is not possible to calibrate, so deviation and not usable.	1
34110.00	Provisions for autopilot	1
34120.23	"Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom display.	1
34180.00	Weatherfax not possible. Cannot be tested at the Maasbracht location.	1
3.5 EXTERIOR EQUIPMENT HULL		
35010.02	Zinc anodes (for salt water)	1
35030.90	High-gloss stainless steel fender rope cap at the ends of the fender rope, fitted with a tensioning device.	1
35040.01	Ships name on bow and stern. Port of Registry and Registration number on stern in colour of the waterline Bow letter type; Snell Roundhand. Stern letter type; VAG	1
35090.02	Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).	1
35110.03	Wireless windlass control and chain counter	1
35120.11	High gloss polished stainless steel Bruce-anchor 15 kg. AISI-316	1
35130.11	30m. 8 mm. stainless steel anchor chain	1
3.6 LINNSEN YACHTS TENDER SOLUTIONS		
36040.01	Stainless steel snap davit system, with universal tender fastening. Stern light demountable for fitting in the top of the flaggstaf.	1
36100.01	Outboard engine fastening bracket against stern (Max. 8 HP)	1
3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE		
37010.03	Additional windscreen wiper Only in combination with position(s): 37020.50 Wiper installation synchronous	1
37020.50	Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	1
37070.06	Original Linssen Design mast powder coated in colour superstructure. Short modell (beneath windscreen)	1

Item	Description	Phase
37110.02	Magnus 'S' comfortable helm-seat in imitation leather off white at steering position, on "Zwaardvis" support Only in combination with: Closed covering over the after deck	2
37110.06	Magnus 'S' comfortable helm-seat in imitation Sandsurf MT 0027CP leather at steering position, on "Zwaardvis" support Only in combination with: Closed covering over the after deck	2
37110.25	Helm-seat in imitation leather lava grey, on "Zwaardvis" adjustable support. Only in combination with: Closed covering over the after deck	2
37130.01	Deck lighting with 2 lights at mast	1
37271.01	Solid teak entrance door, varnished	1
3.8 WINDOWS		
38075.02	Sliding window in saloon at Port side front, with "Summer Green" tinted glass	1
38076.02	Sliding window in saloon at Port side front, with "Smoke Grey" tinted glass	1
4. INTERIOR		
GENERAL		
40040.02	Original Linssen maintenance friendly ship's floor, teak color with light striping.	1
4.1 AFT CABIN		
41062.02	Toilet compartment Port in the AC equipped with manual sea toilet and vanity unit with worktop and wash basin finished in original Corian® including selected bathroom fittings. Walls in high quality Formica wall finishing	1
43192.99	Extra door in shower in the front cabin, so that this cabin can be opened from the hallway.	1
4.2 SALOON/ GALLEY		
51800.01	Stainless steel high gloss banister at saloon entrance stairs	2
4.4. WHEELHOUSE		
5. FINISH		
5.1 LIGHTING & SOCKETS		
51070.11	Luxurious LED reading lights (2x) in the aft cabin	1
51080.11	Luxurious LED reading lights (2x) in the front cabin	1
51100.01	Attractive indirect lighting in saloon	1
51400.05	USB socket in FC portside for charging mobil equipment.	1
51400.11	USB socket in steering position outside, saloon, FC and AC for charging mobil equipment.	1

Linssen Grand Sturdy 30.0 AC Intero

Item	Description	Phase
51603.02	The 230 V. sockets will be finished in English version	2
51603.03	The 230 V. sockets will be finished in Swiss version	2
51615.01	230 V. socket in the forward cabin on SB-side	1
51620.01	Splash resistant 230 V. socket in the forward cabin toilet	1
51625.01	3x 230 V. sockets respectively in FC, engine compartment and AC for winter heating. Only to be used with shore power.	1
51640.01	230 V. socket in the galley	1
51665.01	230 V. socket in the saloon (Stbd aft)	1
51670.01	230 V. socket in aft cabin	1
51680.01	230 V. splash resistant socket in aft toilet compartment	1
51700.11	230 V. socket at steering position, splash resistant	1
5.2 GALLEY		
53020.02	Mixer tap in galley equipped with dish-shower, Hansgrohe Talis M51	2
52230.01	Stainless steel oven (gas)	1
5.3 SANITARY FITTINGS		
53010.90	Full-length mirror in the FC toilet compartment at entrance door to the front cabin	2
53015.90	Full-length mirror at the inside of the toilet door in the AC	2
53130.02	Electric toilet in forward cabin, with fresh water rinsing	1
53130.03	Electric toilet in forward cabin, with sea water rinsing	1
53140.02	Electrical toilet in the aft cabin, with fresh water rinsing	1
53140.03	Electrical toilet in the aft cabin, with sea water rinsing	1
5.4 AUDIO/ VIDEO / INTERNET		
54010.50	DAB+ radio module and antenna in the mast for digital radio	1
54010.90	Fusion RA70N expansion kit with usb port for data transfer + control via the multi-function display in steering position.	1
54200.01	Primary TV connection at saloon Port TV cupboard, incl. extra 230V. socket	1
54201.01	Primary TV connection in saloon on Stb cupboard, incl. extra 230V. socket	1
54250.01	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network.	1
54286.01	Provisions for putting a satellite tv-antenna on deck manually: deck socket against the mast incl. cables in tv-cabinet in saloon	1
54400.01	24" (60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD including manual TV-lift solution in saloon on Port side	1
54900.06	Teltonika 5G LTE router with Wifi Access Point and antennae.	1
5.5 VENTILATION		
55020.01	Mosquito screen in forward hinged saloon window, Port side	2
55090.01	Rain protection covers and mosquito screens for the forward cabin port-holes (4x)	2

Item	Description	Phase
55110.01	Rain protection covers and mosquito screens for the aft cabin port-holes (4x)	2
55130.01	Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head	1
55155.01	Mosquito screen for sliding hatch at the entrance door (with magnets)	2
5.6 INTERIOR UPHOLSTERY		
56073.02	Design stool finished in genuine leather	2
56101.02	Mattress 2x 1 pers.in front cabin type Combispring 14 cm.	2
56131.02	Mattress 2x 1 pers. in aft cabin type 7-zone 14 cm.	2
56321.03	Plissé blinds in the saloon, manual controlled.	1
5.7 EXTERIOR UPHOLSTERY		
57011.01	Cushions for steel deck-boxes including cushion for teak joint in imitation leather, prefixx off white	2
57011.03	Cushions for steel deck-boxes in imitation leather, Sandsurf MT 0027CP	2
57011.05	Cushions for steel deck-boxes including cushion for teak joint in imitation leather, Moonrock MT 0026	2
57095.02	2x Comfort Seat in imitation leather, colour off white	2
57095.03	2x Comfort Seat in imitation leather, colour sand beige	2
57095.05	2x Comfort seat in imitation leather, colour lava grey	2
5.8 EQUIPMENT		
58022.01	2x ball fender Ø55cm black with rope	2
58023.01	2x extra fender black with rope	2
58024.01	Additional 40 m mooring line, supplied with on board inventory	2
58060.01	230V vacuum cleaning installation with a vacuum cleaner integrated in the saloon settee and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags	1
58075.02	Removable clothes rail in shower compartment front cabin	1
58080.01	8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.	2
58990.00	Alarm installation not possible. System cannot be supported in the long(er) term.	2
5.9 CANVAS & COVERS		
59030.03	Cabrio closed model over the complete aft deck, Sunbrella Dark Navy. The side and back panels can be opened by a zip-fastener	2
59030.04	Cabrio closed model over the complete aft deck, Sunbrella Marine steel Grey The side and back panels can be opened by a zip-fastener	2
59030.06	Cabrio closed model over the complete aft deck, Sunbrella Marine Beige Papyrus. The side- and back parts can be opened by a zip-fastener.	2

Linssen Grand Sturdy 30.0 AC Intero

Item	Description	Phase
59080.03	Cover for entrance door including sliding hatch Sunbrella Dark Navy	2
59080.04	Cover for entrance door including sliding hatch Sunbrella Marine steel Grey	2
59080.07	Cover for teak entrance door including sliding hatch Sunbrella Marine Beige Papyrus.	2
59030.90	Windows in cabrio front	2
59030.91	Cabrio divided by zipper	2
59130.03	Cover for steering console Sunbrella Dark Navy	2
59130.04	Cover for steering console, Sunbrella Marine steel Grey	2
59200.11	Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour beige	2
59200.12	Sun cover, semi-transparent, around saloon complete (excluding entrance doors) incl. mounting, colour white	2

6. COMMISIONING & HAND OVER

6.1 TRANSPORT & WINTER STORAGE

61010.01	Cradle (completely coated)	2
61010.03	Making boat ready for transport incl. craning	
61010.06	Compile documents for export and obtain a temporary residence permit of up to 18 months in the EU. (Only possible for residents from outside the EU)	2

PACKS

Pack	1	Comfort package	1
12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)		
22020.01	Original LINSSEN teak deck on aft deck		
31050.03	12V. sternthruster 55 kgf (3 kW / 4 HP)		
31067.01	Remote control for bow (and stern) thruster		
35040.01	Ships name on bow and stern. Port of Registry and Registration number on stern in colour of the waterline Bow letter type; Snell Roundhand. Stern letter type; VAG		
35090.02	Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).		
53130.02	Electric toilet in forward cabin, with fresh water rinsing		
53140.02	Electrical toilet in the aft cabin, with fresh water rinsing		
57011.03	Cushions for steel deck-boxes in imitation leather, Sandsurf MT 0027CP		
58080.01	8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.		
59030.06	Cabrio closed model over the complete aft deck, Sunbrella Marine Beige Papyrus. The side- and back parts can be opened by a zip-fastener.		

Linssen Grand Sturdy 30.0 AC Intero

Item	Description	Phase
Pack 2	Ventilation	1
13290.01	Heating (blower) at steering position (4 kW), connected to the engine	
55090.01	Rain protection covers and mosquito screens for the forward cabin port-holes (4x)	
55110.01	Rain protection covers and mosquito screens for the aft cabin port-holes (4x)	
55130.01	Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head	
Pack 5	Media package	1
54200.01	Primary TV connection at saloon Port TV cupboard, incl. extra 230V. socket	
54250.01	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network.	
54400.01	24" (60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD including manual TV-lift solution in saloon on Port side	
Pack 6	Safety	1
34190.09	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	
34943.04	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	
37020.50	Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	
51800.01	Stainless steel high gloss banister at saloon entrance stairs	
Pack 8	Atmosphere/lighting package	1
51070.11	Luxurious LED reading lights (2x) in the aft cabin	
51080.11	Luxurious LED reading lights (2x) in the front cabin	
51100.01	Attractive indirect lighting in saloon	
Pack 9	Power package	1
33082.02	Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries)	
33271.02	Automatic battery charger/inverter type Victron Multiplus Compact 12/1600-70 (70A/1600W.) with remote control panel. Peak power 3000 W.	
51400.11	USB socket in steering position outside, saloon, FC and AC for charging mobil equipment.	
51640.01	230 V. socket in the galley	
51665.01	230 V. socket in the saloon (Stbd aft)	
51670.01	230 V. socket in aft cabin	
51700.11	230 V. socket at steering position, splash resistant	

Linssen Grand Sturdy 30.0 AC Intero

Item	Description	Phase
Pack 10	Essentials	1
12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	
31050.03	12V. sternthruster 55 kgf (3 kW / 4 HP)	
33082.02	Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries)	
33271.02	Automatic battery charger/inverter type Victron Multiplus Compact 12/1600-70 (70A/1600W.) with remote control panel. Peak power 3000 W.	
35090.02	Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).	
51070.11	Luxurious LED reading lights (2x) in the aft cabin	
51080.11	Luxurious LED reading lights (2x) in the front cabin	
51100.01	Attractive indirect lighting in saloon	
53010.90	Full-length mirror in the FC toilet compartment at entrance door to the front cabin	
53130.02	Electric toilet in forward cabin, with fresh water rinsing	
55020.01	Mosquito screen in forward hinged saloon window, Port side	
55090.01	Rain protection covers and mosquito screens for the forward cabin port-holes (4x)	
55110.01	Rain protection covers and mosquito screens for the aft cabin port-holes (4x)	
55130.01	Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head	