

Linssen Yachts Option list

Linssen Grand Sturdy 45.0 AC Intero

Date-: 7-3-2025

Page 1

Item	Description	Phase
------	-------------	-------

1. HULL

1.2 STAINLESS STEEL

12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	1
12060.01	Original Linssen polished stainless steel bow ladder (removable)	3
12071.01	Stainless steel protection set at side railing entrances and stern (3x)	2
12075.01	Stainless steel steps to saloon deck midships, demountable, finished with anti-slip steps incl. 2 hand grips on saloon deck	2
12155.01	Bathing platform extension made of special quality aluminium ALMG3 powder coated, covered around with special Linssen PVC fendering, finished with solid teak planks and including a base for a support for mounting a tender. The design will be similar as the main platform but having approximately 2/3 of the dimensions of the original platform resulting in an extra length of 60 cm. Not possible in combination with position(s): 36040.05 Tenderlift electric	1

1.3 TECHNICAL

13020.32	Engine	: 2x 4 cyl. Yanmar Diesel, type 4 ZF 25-H / 2,8 : 1 80.9 kW (110 HP), 3200 rpm	1
	Alternator	: 2x 125A-12V	
13070.03	Provisions for simple installation of stabilization system to prevent rolling of the ship. 2 mounting flanges welded in the hull.		1
13155.01	Mooring facility at bow through stainless steel hawse and stainless steel protection strips		2
13290.01	Heating (blower) at the outside steering position by means of heat exchanger connected to the engine. Equipped with 4x blowers (2x against windscreen windows, 2x under the steering position). The heat exchanger is mounted in the saloon settee including an extra expansion tank for the engine cooling.		1
13300.04	LED deck illumination 4x integrated in deck-box and 2x integrated at steering position		1

2. COATING

2.1 COATING & DECK FINISH

21090.10	Original Linssen colour scheme:		1
	Superstructure and hull	: Egg Shell White	
	Waterline	: Black	
	Antifouling	: Black	
	Rope fender	: Black	
	Canvas and covers	: Sunbrella Marine Steel Grey	
	Glass windows saloon, windscreen	: "Smoke Grey" tinted	

Linssen Yachts Option list

7 March 2025

Linssen Grand Sturdy 45.0 AC Intero

Page 2

Item	Description	Phase
21090.12	Original Linssen colour scheme: Hull : Super Jet Black Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black Rope fender : Black Canvas and covers : Sunbrella Marine Steel Grey Glass windows saloon, windscreen : "Smoke Grey" tinted	1
21090.15	Original Linssen colour scheme: Hull : Dark Grey Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black Rope fender : Black Canvas and covers : Sunbrella Marine Steel Grey Glass windows saloon, windscreen, ventilation-/escape hatch : "Smoke Grey" tinted	1
21090.23	Original Linssen colour scheme: Hull : Midnight Blue Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black Rope fender : Beige Canvas and covers : Sunbrella Dark Navy Glass windows saloon, windscreen : "Smoke grey" tinted	1
21090.24	Original Linssen colour scheme: Superstructure and hull : Egg Shell White Waterline : Dark Green Antifouling : Black Rope fender : Beige Canvas and covers : Sunbrella Marine Beige Papyrus Glass windows saloon, windscreen : "summer green" tinted	1
21090.31	Original Linssen colour scheme Olive Green: Hull : Olive Green Superstructure : Sand Beige Waterline : Sand Beige Antifouling : Black Rope fender : Beige Canvas and covers : Sunbrella Marine Beige Papyrus Glass windows saloon : "Summer Green" tinted	1
21090.33	Original Linssen colour scheme: Hull : Midnight Blue Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black Rope fender : Beige Canvas and covers : Sunbrella Marine Beige Papyrus Glass windows saloon, windscreen : "Smoke Grey" tinted	1

Item	Description	Phase
2.2 TEAK DECKS		
22010.01	Original LINSSEN teak deck on front deck and side decks	1
22020.01	Original LINSSEN teak deck on aft deck, steps on transom and ventilation-/escape hatch	1
3. ENGINE COMPARTMENT		
3.1 TECHNICAL		
31032.19	Electric bowthruster Sleipner-Side power 24V/E170 equipped with proportional control. Stepless control of bowthruster (in combination with proportional stern thruster) at any desired performance. Including control panel with integrated LCD display for feedback of battery capacity, functioning time, temperature and system warnings.	1
31053.08	Electric stern thruster Sleipner-Side power 24V/150 Kgf (8,8 kW/11,8 HP) incl. 2x 170 Ah maintenance-free battery	1
31053.18	Electric stern thruster Sleipner-Side power 24V/E150 incl. 2x additional maintenance-free starterbattery à 170Ah equipped with proportional control. Infinitely variable operation at any desired power. Including control panel with integrated LCD display for feedback of battery capacity, functioning time, temperature and system warnings.	1
31130.04	Stabilization system (electric) to prevent rolling. Completely retractable. System is maintenance free and has CANbus electronic control with "three term controller" (rolling angle, rolling speed and gear). The digital display has a simple control (park/stabilize) and indication rotor position. Gearboxes of the engines are connected to control system to that the rotors automatically go to park position when stationary or go astern. Only in combination with position(s): Attention: Only possible in combination with generator 13070.03 Provisions for stabiliser(s)	1
31190.05	Double fuel filter with switch (single).	2
31200.06	Double fuel filter with switch (twin)	2
31205.01	Compact fuel filter installation. Removes sludge and diesel bacteria from the fuel tank. Also provides for condensation water separation. Not possible in combination with position(s): 31190.05 Double fuel filter, Single SWK2000/5 31200.06 Double fuel filter, Twin Yanmar	2
31240.99	App-module for remote switching/controlling the daytime heating. System uses subscription, Free for the first year and €35,- per year thereafter (by purchasing customer). App control via iPhone or Android device is free to download.	2
31308.01	Towel radiator in toiletcompartment front cabin electric 230 V. thermostatically controllable	2
31308.21	Towel radiator in toiletcompartment aft cabin electric 230 V. thermostatically controllable	2

Linssen Grand Sturdy 45.0 AC Intero

Item	Description	Phase
31501.00	Provisions for airco consists of: - Fitting of cooling pipes incl. distributor - Fitting of power cable chiller + air handlers - Installation of air ducts, outlets and hoses for air intake/supply	2
31501.01	Chiller air conditioning throughout the ship by compressor with soft start, total capacity of 27.000 BTU. Only in combination with position(s): Attention: Only possible in combination with generator 31501.00 Provisions for airco	2
3.2 ON-BOARD WATER SYSTEMS		
32010.20	Additional 1x solid plastic MTS on-board water tank on SB-side without tank measurement with inspection/cleaning opening ± 220 l. Not possible in combination with position(s): 52065.14	2
32100.01	All grey water outlets (sinks and shower-drainage, including aft cabin) connected to holding tank. Including washing machine if chosen.	2
32110.01	No fitting of holding tank waste pump	2
32150.04	Deck-wash pump, including hose and trigger nozzle with connection at bathing platform Not possible in combination with position(s): 32150.13 Deck-wash pump, conn. bathing platform	1
32150.13	Deck-wash pump, including hose and trigger nozzle with connection at bathing platform connected to on-board water system	1
3.3 ELECTRICAL & ELECTRONICS		
33148.15	Cerbo GX linked to the Raymarine Axiom MFD. Monitor your domestic, shore power and generator status. Control the shore power limit to be used from your helmsman's position	2
33285.60	Group of solar panels of 4x 110Wp. Connected to a Victron Smart Solar charge controller for charging the domestic batteries. Can be read out on the Victron Color GX panel.	2
33290.13	Northern Lights 230V/7 KW, type M773LW3G generator. Intercooling, continuous power, integrated in shore power connection. Incl. water/gas separator for exhaust generator. To control with a control panel with operating hours.	2
3.4.2 NAVIGATION PACKAGES		
Pack	3.4.2.1 BASIC PACKAGE	2
34090.16	Rudder indication on Raymarine Axiom display at steering position	
34125.01	Raymarine Axiom+ 7 multifunctional display	
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	

Item	Description	Phase
Pack	3.4.2.2 RIVER PACKAGE	2
34110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
34125.01	Raymarine Axiom+ 7 multifunctional display	
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
Pack	3.4.2.3 LAKE PACKAGE	2
34110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
34125.07	Raymarine Axiom+12RV, 12" multifunctional colour display with touchscreen and Wi-Fi at steering position. Including read out from echosounder, log and outside water temperature.	
34132.80	Raymarine RMK-10 remote keypad for complete touch control for one or several display.	
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
Pack	3.4.2.4 SEA PACKAGE	2
34110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
34125.07	Raymarine Axiom+12RV, 12" multifunctional colour display with touchscreen and Wi-Fi at steering position. Including read out from echosounder, log and outside water temperature.	
34132.80	Raymarine RMK-10 remote keypad for complete touch control for one or several display.	
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
34160.05	Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast	
3.4.3 VIEW PACKAGES		
3.4.3.1 Rear view		
34145.11	1x Raymarine IP day & night net dome video camera on transom for rear view with readout on multifunctional Raymarine display	1
3.4.3.2 Mooring view		
34145.12	2x Raymarine IP day & night net dome video cameras with readout on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view	1
34145.15	1x Raymarine IP day & night net dome video camera on bow for front view with readout on multifunctional Raymarine display	1
3.4.3.3 Night view		
34800.01	Flir M232 Thermic IP camera (320 x 240, 9Hz) with Pan & Tilt and electronic zoom fitted in the mast with read out on multifunctional Raymarine display. The FLIR camera makes the air draft 30 cm higher because of its placement in the mast top.	2

Item	Description	Phase
3.4.3.4 Technology view		
34145.13	2x Raymarine AX8 thermal and visible light camera in engine compartment for temperature measurement with readout on multifunctional Raymarine display	2
34145.14	1x Raymarine AX8 thermal and visible light camera in engine compartment for temperature measurement with readout on multifunctional Raymarine display Only in combination with single engine version	2
34142.30	Read out engine functions on multifunctional display Raymarine. Only in combination with single engine version	3
34142.31	Read out engine functions on multifunctional display Raymarine. Only in combination with twin engine version	3
3.4.3.5 Underwater view		
34170.23	Raymarine RV320 transducer with 3D Downvision Port + SB integrated on multifunctional display Raymarine	1
34145.20	Raymarine ClearCruise AR (live navigation objects with AIS identification) on Axiom multifunction display. Only in combination with position(s): 34943.04 AIS 700	2
3.4.4 REMOTE PACKAGES		
34110.03	Raymarine S100 wireless autopilot remote control Only in combination with position(s): 34110.10 p70R Display steering position	2
34110.13	Raymarine Smart Controller wireless autopilot remote control Only in combination with position(s): 34110.10 p70R Display steering position	2
31067.01	Remote control for bow (and stern) thruster	3
31067.02	Remote control for bow (and stern) thruster with proportional control. Control via remote control only on-off.	3
31088.20	Hydronautica RMC remote control for engine(s), bow and stern thruster. Only in combination with position(s): 31053.08 Stern thruster 150 kgf	1
31088.21	Hydronautica RMC remote control for engine(s) and bow-/sternthruster finished with proportional control. For using the bow and stern thruster via the RMC, you have to tune the desired performance in the control panel. By doing so, you can easily cruise sideways by using the bow and stern thruster simultaneous. Only in combination with position(s): 31032.19 Bow thruster electric e-vision E170 31053.18 Stern thruster e-vision E150	1

3.4.5 COMMUNICATION PACKAGES

Linssen Grand Sturdy 45.0 AC Intero

Item	Description	Phase
34190.09	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	2
34190.10	Extra wireless handset VHF incl. charging station	2
34200.10	Communication tool for 2 persons by means of 2 walkie-talkies with headset	3
34943.04	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	2
3.4.6 OTHER NAVIGATION INSTRUMENTS		
34100.00	Magnet compass not possible. Due to the steel boats it is not possible to calibrate, so deviation and not usable.	2
34110.50	Key switch to lock autopilot in case of charter.	2
34180.00	Weatherfax not possible. Cannot be tested at the Maasbracht location.	2
34120.23	"Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom display.	2
34135.06	Second Raymarine Axiom+12, 12" multifunctional colour display with touchscreen and Wi-Fi at steering position. Including read out from echosounder, log and outside water temperature.	2
3.5 EXTERIOR EQUIPMENT HULL		
35010.01	Magnesium anodes (for fresh water)	2
35010.02	Zinc anodes (for salt water)	2
35030.90	High-gloss stainless steel fender rope cap at the ends of the fender rope, fitted with a tensioning device.	2
35092.32	Electric anchor winch 1200W/24V. mounted above deck with integrated stainless steel anchor rollers and anchor rail with 80m. 10 mm. anchor chain and 20 Kg. Bruce-anchor	2
35110.03	Wireless windlass control and chain counter	2
35120.12	High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316	2
35140.14	80 m. 10 mm. stainless steel anchor chain	2
3.6 LINSSSEN YACHTS TENDER SOLUTIONS		
36040.01	Stainless steel snap davit system, with universal tender fastening.	2
36040.05	Linssen Yachts electric stainless steel dinghy lift installation on bathing platform. Lifting capacity 250 kg. incl. remote control.	2
36048.01	Fitting of customer supplied tender.	3
36100.01	Outboard engine fastening bracket against stern (Max. 8 HP)	2
3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE		
37020.50	Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	2
37070.06	Original Linssen Design mast powder coated in colour superstructure. Short modell (beneath windscreen)	1

Linssen Grand Sturdy 45.0 AC Intero

Item	Description	Phase
37080.08	Electric mast lowering system, incl. control at steering position. Not possible in combination with position(s): 37070.06 SL-mast short (1,4 mtr)	2
37110.04	Helm-seat in imitation white leather off-white, on stainless steel adjustable support.	3
37110.15	Helm-seat in imitation leather lava grey, on stainless steel adjustable support.	3
37110.37	2nd helm-seat in sand beige imitation leather, on stainless steel adjustable support.	3
37110.34	2nd helm-seat in imitation off white leather, on stainless steel adjustable support.	3
37110.35	2nd helm-seat in lava grey imitation leather, on stainless steel adjustable support.	3
37111.01	Folding teak directors chair. Black upholstery and naturel teak wood	3
37120.02	Electrically-adjustable Linssen Design comfortable helm-seat, height adjustable with matching leather upholstery. Horizontally manually adjustable	2
37130.01	Deck lighting with 2 lights at mast	2
37140.05	Automatic searchlight with stainless steel housing on saloon deck, with control at the steering position	2
37140.06	Automatic searchlight with stainless steel housing in the mast, with control at the steering position	2
37170.14	Set of fender baskets to fore deck: Double Port & SB ø300 mm, foldable	3
37230.01	Luxury teak table incl. joint (outside)	1
37230.90	Teak table with luxurious high gloss painting in 8 layers	1
37230.91	Teak table with luxurious satin gloss painting in 3 layers	1
37271.01	Solid teak entrance door, varnished	1
3.8 WINDOWS		
38030.01	Double-glazed "Summer green" tinted windows in the saloon (incl. entrance door) with thermal insulated profile (Thermic Line). Attention: The sliding window will be finished in single glass	1
38060.02	Hinged window in Port forward saloon, in powder coated aluminium profile with "Summer Green" tinted glass	1
38060.06	Hinged forward Port window in saloon finished in double glass, fitted in powdercoated thermal insulated aluminium profiles	1
38070.01	Aluminium fixed Port centre window in saloon, with "Summer Green" tinted glass	1
38070.05	Port fixed front window in saloon finished in (Thermic Line) double glass incl. thermal insulated profile	1
38070.06	Sliding port window in the saloon, finished in "Summer Green" tinted double glass, incl. thermal insulated profile (Thermic Line)	1
38080.02	Sliding Starboard window in the saloon, finished in "Summer Green" tinted glass	1
38080.06	Sliding Starboard window in the saloon, finished in "Summer Green" tinted double glass, incl. thermal insulated profile (Thermic Line)	1

Item	Description	Phase
38031.01	Double-glazed "Smoke grey" tinted windows in the saloon (incl. entrance door) with thermal insulated profile (Thermic Line). Attention: The sliding window will be finished in single glass	1
38061.02	Hinged window in Port forward saloon, with "Smoke grey" tinted glass and powder coated aluminium profile	1
38061.06	Hinged forward Port window in saloon finished in double glass, fitted in thermal insulated powder coated aluminium profiles	1
38071.01	Aluminium fixed Port centre window in saloon, with "Smoke grey" tinted glass	1
38071.05	Port window in saloon finished in double glass (Thermic Line) incl. thermal insulated profile	1
38071.06	Sliding port window in the dinette, finished in (Thermic Line) double glass, incl. thermal insulated profile	1
38081.02	Aluminium sliding window in saloon at Starboard side, with "Smoke Grey" tinted glass	1
38081.06	Sliding Stbd window in the saloon, finished in (Thermic Line) double glass, incl. thermal insulated profile	1

4. INTERIOR

GENERAL

40040.02	Original Linssen maintenance friendly ship's floor, teak color with light striping.	2
----------	---	---

4.1 AFT CABIN

41051.90	Mirror in aft cabin on aft bulkhead	2
----------	-------------------------------------	---

4.2 SALOON & GALLEY

42031.03	Elegant saloon table, high model	2
42033.01	Low coffee table model, pouf / tray combination	2
42072.01	Dinette in vis à vis model saloon with integrated storage space Incl. extra drawers in dinette accessible by longitudinally adjustable dinette table	2
42073.03	Electrically lowerable dinette table for L-shaped dinette settee. Table can be used as a dining table and with included filling mattress as a bed.	3

Not possible in combination with position(s):
42072.01 Dinette

4.3.1 FRONT CABIN AND GUEST CABIN

43101.02	Layout guest cabin, version 1: - 1 bed at Port side against wall (width 90 to 100 cm) - 57 Ltr. refrigerator, accessible from guest cabin, fitted under dinette settee - Reading light above bed against wardrobe	2
----------	--	---

Not possible in combination with position(s):
52062.14

Item	Description	Phase
43101.03	Layout guest cabin, version 2: - Desk, drawers on the left side and additional cupboard under the work top - Design Hocker in leather - 57 Ltr. refrigerator, accessible from guest cabin, fitted under dinette settee - Reading light above desk - 2x 230 V. and 1x USB sockets on work top Not possible in combination with position(s): 52062.14	2
43101.99	Bed guest cabin finished with removable joint incl. mattress for double bed function	2

5. FINISH

5.1 LIGHTING & SOCKETS

51080.11	Luxurious LED reading lights (2x) in the front cabin	2
51090.11	Luxurious LED reading lights (2x) in the guest cabin	2
51100.01	Attractive indirect lighting in saloon	2
51100.02	Attractive indirect lighting in the FC and AC heads	2
51100.05	Attractive indirect lighting in interior AK under the bed edge	2
51110.02	Indirect lighting in all steps of saloon stairs	2
51110.03	Indirect lighting in all steps of front cabine stairs	2
51110.04	Indirect lighting in all steps of after cabine stairs	2
51400.05	USB socket in FC portside and AC starboardside for charging mobil equipment.	2
51400.11	USB socket in steering position outside, FC, guest cabin and AC for charging mobil equipment.	2
51595.01	12 V. and 230 V. socket in front cellar	2
51615.01	230 V. socket in the forward cabin on SB-side	2
51615.02	English 230 V. socket in the forward cabin on Stbd-side	2
51615.03	Swiss 230 V. socket in the forward cabin on Stbd-side	2
51625.01	3x 230 V. sockets respectively in FC, engine compartment and after cabine for winter heating. Only to be used with shore power or generator on.	2
51630.01	230 V. socket in the guest cabin	2
51640.01	230 V. socket in the galley	2
51655.01	230 V. socket in saloon (Port-side aft)	2
51665.01	230 V. socket in the saloon (Stbd aft)	2
51673.01	230 V. socket in the aft cabin (Stbd side at front)	2
51675.01	230 V. socket in the aft cabin (Stbd side)	2
51700.11	230 V. socket at steering position, SB side splash resistant	1

5.2 GALLEY

52012.02	Pop-up coffee bar in saloon with integrated Nespresso machine that can be put on stand-by or put away with one hand movement. Drawer integrated in saloon cabinet for coffee cups/mugs and coffee cups.	2
----------	--	---

Linssen Grand Sturdy 45.0 AC Intero

Item	Description	Phase
52031.02	High gloss polished stainless steel towel rail at refrigerator door	2
52062.01	Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee	2
52062.14	Cooling drawer, 30 liter, fitted in front cellar.	2
52062.15	2nd Cooling drawer, 30 liter, fitted in front cellar.	2
52062.20	Cooling drawer, 30 litres, built into Port side deckbox	1
52065.14	Freezer 40 ltr. in the cellar	2
	Not possible in combination with position(s): 32010.20 Additional watertank	
52100.02	230V. washer/dryer combination, fitted in the forward cabin shower compartment	2
52140.01	230V. induction hob with touch control. 1 x 1200 W. cooking zone, 1 x 1600 W. cooking zone Attention: Only possible in combination with generator	2
52140.02	230V. induction hob, stainless steel, with touch control. 1 x 1200 W. cooking zone, 2 x 1800 W. cooking zone, 1 x 2200 W. cooking zone Attention: Only possible in combination with generator	2
52080.03	230V. dishwasher (front loader) integrated into galley at SB-side beneath side deck. Capacity: 6 covers	2
52220.02	230V. stainless steel 42 l. microwave/oven/grill combination. Temperature range 30-250 degrees. 90-1000W microwave power. Fitted in the galley next to the sink. Not possible in combination with position(s): 52230.01 Oven (gas)	2
52230.01	Stainless steel oven (gas). Fitted in the galley next to the sink Not possible in combination with position(s): 52220.02 Microwave/oven/grill 42 l.	2
5.3 SANITARY FITTINGS		
53010.10	In the FC bathroom cabinet integrated 6-litre waste bin with stainless steel soft-close waste flap	2
53010.90	Full-length mirror in the FC toilet compartment at entrance door to the front cabin	3
53015.10	In the AC bathroom cabinet integrated 6-litre waste bin with stainless steel soft-close waste flap	2
53015.90	Full-length mirror at the inside of the toilet door in the AC	3
53015.91	Full-length mirror in the AC at the entrance door to saloon	3
53090.01	Shower door in aft cabin shower	3
53130.03	Electric toilet in forward cabin, with sea water rinsing	2
53140.03	Electrical toilet in the aft cabin, with sea water rinsing	2

5.4 AUDIO / VIDEO

Linssen Grand Sturdy 45.0 AC Intero

Item	Description	Phase
54010.50	DAB+ radio module and antenna in the mast for digital radio	2
54010.90	Fusion RA70N expansion kit with usb port for data transfer + control via the multi-function display in steering position.	2
54200.01	Primary TV connection in saloon Port TV cupboard, incl. extra 230V. socket	3
54210.01	Supplementary TV connection in aft cabin, incl. extra 230V. socket	2
54250.01	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network.	2
54286.01	Provisions for putting a satellite tv-antenna on deck manually: deck socket against the mast incl. cables in tv-cabinet in saloon	2
54501.03	Rotating pop-up TV lift incl. 32" full HD Smart TV that makes good use of the free space behind the dinette and positions the TV - optimally oriented towards the viewer - on the cabinets. The TV is also in the so-called 'dinette position' so that it is possible to watch TV from both the saloon couch and the front dinette couch.	2
54410.03	32" (81cm) LED TV with integrated DVB-T & DVB-S tuner in aft cabin	2
54610.05	Preparation consisting of extra 230V socket in saloon next to TV cabinet and HDMI cable from TV	3
54900.06	Teltonika 5G LTE router with Wifi Access Point and antennae.	2
5.5 VENTILATION		
55010.01	Mosquito screen in forward Starboard hinged saloon window	3
55020.01	Mosquito screen in forward hinged saloon window, Port side	3
55030.01	Integrated mosquito screen in Port sliding saloon window	1
55040.01	Integrated mosquito screen in Stbd sliding saloon window	1
55090.02	Rain protection covers and mosquito screens for the forward cabin port-holes (6x)	3
55110.01	Rain protection covers and mosquito screens for the aft cabin port-holes (6x)	3
55130.01	Combined blind/mosquito screens for panorama/escape hatch in forward cabin deck-head	2
55135.01	Combined blind/mosquito screens for cabin and head ventilation/escape hatch	2
55150.01	Combined blind/mosquito screens for panorama/escape hatch in the aft cabin deck-head	2
55155.01	Mosquito screen for sliding hatch at the entrance door (with magnets)	3
5.6 INTERIOR UPHOLSTERY		
56073.02	Design stool finished in genuine leather	2
56101.02	Mattress 2x 1 pers.in front cabin type Combispring 14 cm.	3
56131.02	Mattress 2x 1 pers. in aft cabin type 7-zone 14 cm.	3
56131.92	Bed frame in the AC in leather	2
56161.02	Mattress 2x single person in guest cabin type Combispring 14 cm.	3
56321.03	Plissé blinds in the saloon, manual controlled.	2

Item	Description	Phase
56401.10	Interior duvets and pillows set	3
56401.11	Interior package consisting of bed linen with blue accent for the entire ship	3
	Only in combination with position(s): 56401.10 Interior package duvets and pilows	
56401.12	Interior package consisting of bed linen with beige accent for the entire ship	3
	Only in combination with position(s): 56401.10 Interior package duvets and pilows	
5.7 EXTERIOR UPHOLSTERY		
57015.05	Cushions for aft deck U-settee in imitation leather, lava grey.	3
57015.22	Cushions for aft deck U-settee in imitation leather, Off white	3
57095.02	2x Comfort Seat in imitation leather, colour off white	3
57095.03	2x Comfort Seat in imitation leather, colour sand beige	3
57095.05	2x Comfort seat in imitation leather, colour lava grey	3
5.8 EQUIPMENT		
58022.02	2x ball fender Ø65cm black with rope	3
58023.02	2x extra fender black with rope	3
58024.01	Additional 40 m mooring line, supplied with on board inventory	3
58026.01	Life raft (6-pers.) in container type Transocean (ISO 9650-1), fitted in stainless steel support on stern	3
58050.02	Safe A4 size, with combination lock, in the cabinet middle cabin	2
58060.01	230V vacuum cleaning installation with a vacuum cleaner integrated in the saloon settee and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags	2
58070.01	Foldable ironing board, stored in wardrobe guest cabin incl. 230 V socket	2
58075.01	Removable clothes rail in guest compartment across the beds	2
58075.02	Removable clothes rail in shower compartment front cabin	2
58080.01	8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.	3
58100.01	2 high gloss polished stainless steel support next to the mast for bicycles parking	2
58100.11	Stainless steel high-gloss polished bicycle parking bracket on bathing platform. Suitable for 2 bikes. Position is from the center to maximize passageway Not possible in combination with position(s): 36020.03 Opac Mare type 4999/24 36040.05 Tenderlift electric	3
58990.00	Alarm installation not possible. System cannot be supported in the long(er) term.	3

Linssen Grand Sturdy 45.0 AC Intero

Item	Description	Phase
5.9 CANVAS & COVERS		
59030.03	Cabrio closed model over the complete aft deck, Sunbrella Dark Navy. The side- and back parts can be opened by a zip-fastener.	3
59030.04	Cabrio closed model over the complete aft deck, Sunbrella Marine Steel Grey. The side- and back parts can be opened by a zip-fastener.	3
59017.01	Drop down system to reduce the draft of the standard cabrio	3
59030.90	Windows in cabrio front	3
59030.91	Cabrio divided by zipper	3
59080.03	Cover for entrance door including sliding hatch Sunbrella Dark Navy	3
59080.04	Cover for entrance door including sliding hatch Sunbrella Marine steel Grey	3
59080.07	Cover for teak entrance door including sliding hatch Sunbrella Marine Beige Papyrus.	3
59090.03	Cover for aft deck helm-seat, Sunbrella Dark Navy	3
59090.04	Cover for helm-seat, Sunbrella Marine Steel Grey	3
59090.06	Cover for aft deck helm-seat, Sunbrella Marine Beige Papyrus.	3
59090.33	Cover for second aft deck helm-seat Sunbrella Dark Navy	3
59090.34	Cover for second helm-seat Sunbrella Marine Steel Grey	3
59090.36	Cover for 2nd aft deck helm-seat, Sunbrella Marine Beige Papyrus.	3
59200.11	Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour beige	3
59200.12	Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour white	3
6. COMMISSIONING & HAND OVER		
6.1 TRANSPORT/WINTER STORAGE		
61010.01	Cradle (completely coated)	3
61010.03	Making boat ready for transport incl. craning	
61010.06	Compile documents for export and obtain a temporary residence permit of up to 18 months in the EU. (Only possible for residents from outside the EU)	3
Pack 1	Comfort package	1
12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	
22020.01	Original LINSSEN teak deck on aft deck, steps on transom and ventilation-/escape hatch	
31053.08	Electric stern thruster Sleipner-Side power 24V/150 Kgf (8,8 kW/11,8 HP) incl. 2x 170 Ah maintenance-free battery	
31067.01	Remote control for bow (and stern) thruster	
35092.32	Electric anchor winch 1200W/24V. mounted above deck with integrated stainless steel anchor rollers and anchor rail with 80m. 10 mm. anchor chain and 20 Kg. Bruce-anchor	

Linssen Grand Sturdy 45.0 AC Intero

Item	Description	Phase
37230.01	Luxury teak table incl. joint (outside)	
58080.01	8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.	
Pack 2	Ventilation package	1
13290.01	Heating (blower) at the outside steering position by means of heat exchanger connected to the engine. Equipped with 4x blowers (2x against windscreen windows, 2x under the steering position). The heat exchanger is mounted in the saloon settee including an extra expansion tank for the engine cooling.	
55030.01	Integrated mosquito screen in Port sliding saloon window	
55090.02	Rain protection covers and mosquito screens for the forward cabin port-holes (6x)	
55110.01	Rain protection covers and mosquito screens for the aft cabin port-holes (6x)	
55130.01	Combined blind/mosquito screens for panorama/escape hatch in forward cabin deck-head	
55135.01	Combined blind/mosquito screens for cabin and head ventilation/escape hatch	
55150.01	Combined blind/mosquito screens for panorama/escape hatch in the aft cabin deck-head	
Pack 3	Le Chef package	2
33290.13	Northern Lights 230V/7 KW, type M773LW3G generator. Intercooling, continuous power, integrated in shore power connection. Incl. water/gas separator for exhaust generator. To control with a control panel with operating hours.	
52062.01	Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee	
52140.02	230V. induction hob, stainless steel, with touch control. 1 x 1200 W. cooking zone, 2 x 1800 W. cooking zone, 1 x 2200 W. cooking zone	
52220.02	230V. stainless steel 42 l. microwave/oven/grill combination. Temperature range 30-250 degrees. 90-1000W microwave power. Fitted in the galley next to the sink.	
Pack 4	Traveller package	2
33290.13	Northern Lights 230V/7 KW, type M773LW3G generator. Intercooling, continuous power, integrated in shore power connection. Incl. water/gas separator for exhaust generator. To control with a control panel with operating hours.	
52100.02	230V. washer/dryer combination, fitted in the forward cabin shower compartment	
Pack 5	Media package	2
54200.01	Primary TV connection in saloon Port TV cupboard, incl. extra 230V. socket	
54250.01	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network.	

Linssen Grand Sturdy 45.0 AC Interio

Item	Description	Phase
54501.03	Rotating pop-up TV lift incl. 32" full HD Smart TV that makes good use of the free space behind the dinette and positions the TV - optimally oriented towards the viewer - on the cabinets. The TV is also in the so-called 'dinette position' so that it is possible to watch TV from both the saloon couch and the front dinette couch.	
Pack 6	Safety package	2
34190.09	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	
34943.04	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	
37020.50	Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	
59017.01	Drop down system to reduce the draft of the standard cabrio	
Pack 7	Luxury package	2
35120.12	High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316	
37080.08	Electric mast lowering system, incl. control at steering position.	
52062.01	Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee	
53090.01	Shower door in aft cabin shower	
Pack 8	Atmosphere/lighting package	1
13300.04	LED deck illumination 4x integrated in deck-box and 2x integrated at steering position	
37130.01	Deck lighting with 2 lights at mast	
51080.11	Luxurious LED reading lights (2x) in the front cabin	
51090.11	Luxurious LED reading lights (2x) in the guest cabin	
51100.01	Attractive indirect lighting in saloon	
51100.02	Attractive indirect lighting in the FC and AC heads	
51110.02	Indirect lighting in all steps of saloon stairs	
51110.03	Indirect lighting in all steps of front cabine stairs	
51110.04	Indirect lighting in all steps of after cabine stairs	
Pack 9	Power package	1
51400.05	USB socket in FC portside and AC starboardside for charging mobil equipment.	
51400.11	USB socket in steering position outside, FC, guest cabin and AC for charging mobil equipment.	
51615.01	230 V. socket in the forward cabin on SB-side	
51630.01	230 V. socket in the guest cabin	
51640.01	230 V. socket in the galley	

Item	Description	Phase
51655.01	230 V. socket in saloon (Port-side aft)	
51665.01	230 V. socket in the saloon (Stbd aft)	
51675.01	230 V. socket in the aft cabin (Stbd side)	
51700.11	230 V. socket at steering position, SB side splash resistant	
Pack 10	Ambiance	1
12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	
33290.13	Northern Lights 230V/7 KW, type M773LW3G generator. Intercooling, continuous power, integrated in shore power connection. Incl. water/gas separator for exhaust generator. To control with a control panel with operating hours.	
37020.50	Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	
37230.01	Luxury teak table incl. joint (outside)	
37230.91	Teak table with luxurious satin gloss painting in 3 layers	
52062.01	Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee	
52062.14	Cooling drawer, 30 liter, fitted in front cellar.	
52065.14	Freezer 40 ltr. in the cellar	
52140.02	230V. induction hob, stainless steel, with touch control. 1 x 1200 W. cooking zone, 2 x 1800 W. cooking zone, 1 x 2200 W. cooking zone	
59017.01	Drop down system to reduce the draft of the standard cabrio	